

SULO[®]



Classic[®]
50 Liters litter bin



TECHNICAL CARACTERISTICS

The Classic® 50L is a litter bin for the collection of solid waste, and is made of high-density polyethylene colored in bulk, offering great resistance to shocks, possible breakage, and atmospheric conditions



This model has been specially designed to allow its location anywhere in the city in a discreet and elegant way.

The metal accessories are protected by hot galvanizing treatment.

This model allows it to be fitted to an existing post or supporting elements such as streetlights, signals, traffic lights, etc. It is also possible to install it on its own pole, system little used in order to not increase the number of elements in transit places.



MECHANICAL CHARACTERISTICS EASY TO USE

FUNCTIONALITY

The shape of the lid makes it difficult for rainwater to enter. Optionally, this model has a cigarette extinguisher on the front, just below the slot inlet.

100% RECYCLABLE

At the end of its life cycle this model can be fully recycled

Maintenance and emptying

It allows a quick emptying and respects the security conditions for supports and users.


DIMENSIONS



Unlocking by standard triangular key

Body flips forward

Grab by body handle



- **Height** 750 mm.
- **Width** 435 mm.
- **Length** 345 mm.
- **Body Weight** 3,5 kg.
- **Weight** 6 kg.

INSTALLATION

The installation either to its own post or supporting element is produced with straps

and buckles that join the body of the bin with the corresponding support.

The Classic 50L litter bin has two types of support:



Metal



Plastic

CUSTOMIZATION



- Silk screen printing 200 x 200 mm
- Thermography 150 x 150 mm
- Vinyl 250 x 250 mm

OPTIONAL ELEMENTS

CIGARETTE EXTINGUISHER



REGULATION / CERTIFICATIONS

This model of litter bin complies with the EN European Standard and is manufactured in ISO 9001, ISO 14001 and OHSAS 18001 certified Production Centers.



STANDARD COLORS

LID / BODY



ORANGE
(OR)
PANTONE 165 C



STONE
GREY (GP)
RAL 7038



ALICANT
GREEN (VJ)
RAL F9 / S2

