CITYBAC® 360L



SULO[®]

Citybac® 360L PRODUCT DETAILS



- 1 Design Lid
- 2 3-sided all-round handle strip
- 3 Marking areas
- A Body
- **B** Handle bar
- **C** DIN comb lifting system, double stage
- **D** Marking areas
- **E** External wheels
- F Chip nest as standard
- **G** Lateral grip surfaces



















SILENT LID

Dimensions (mm)

A	Height total ~	1105
В	Comb height ~	1015
C	Bin depth ~	877
D	Width total ~	601
Ē	Wheel diameter ~	200

Weights

Nominal volume (L)	360
Empty weight (kg) ~	12,3
Max. filling weight (kg) ~ EN 840 Norm	144
Max. total weight (kg) ~	160

Dimensions may vary due to production conditions. The specified empty weights are rounded average based on the standard specifications. The actual weight may be different as a result of production conditions and specifications.

Citybac® 360L

PRODUCT DETAILS

COLOURING



Bin bodies made of up to 100 % post-consumption recyclate. We are able to achieve an average share of 70 % domestic recyclate (packaging, caps) and 30 % nondomestic (bins, industrial scrap, pallets)

100% RECYCLED MATERIAL











RAL 7021

RAL 7011

RAL 6011

RAL 6009

RAL 8025

VIRGIN MATERIAL







RAL 7038

RAL 5015



RAL 5005





PANTONE 5395C



RAL 3974GN



PANTONE 167 C

RAL 3000

RAL 3005

RAL 1018

RAL 5023

ALTERNATIVE COLOURS FOR THE BIN BODY











+ OPTIONS

FRACTION MARKING

Label for Silent and Design Lid, individual printing possible

LID SLOT SYSTEMS

Packaging



Lid-in-Lid, small Lid always in Yellow

Glass



Round slot with rubber rosette Ø 150 mm, lock or bolt required

Paper



Paper hood for newspapers and magazines in **Blue RAL 5023**



Slot for confidential paper

NOISE REDUCTION



Plastic damper spring for the wheels

WHEELS



Solid rubber Ø 200 mm wheels



Clip available in the colours

Solid rubber Ø 300 mm wheels

LOCKING SYSTEMS



Automatic lock with triangular key



Automatic lock with individual key



Manual lock with individual key



Manual lock with triangular key

Citybac® 2-Wheel TECHNICAL INFORMATION

360 LITRE LIFTING SYSTEM DIN COMB LID TYPE Silent LID SLOT SYSTEMS Paper Slot for confidential paper Packaging Household waste Clips **NOISE REDUCTION** Plastic damper on wheels LOCKING SYSTEMS Manual lock Automatic lock Padlock device

360 LITRE HANDLES Side handle WHEELS DIAMETER (HOLLOW OR SOLID AXLE) ø 200 mm ø 250 mm ø 300 mm LABELLING Photo injection on the lid Sticker Embossing insert on the lid Hot foil stamping **IDENTIFICATION** RFID Chip Specific numbering

sulo.com

